

ANTONIONINO (INCRESSIONINO DE LA COMPANIONINO DE LA

'III) ALL III) WIIOM THESE PRESENTS SHAM COME:

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

January 24, 2005

THIS IS TO CERTIFY THAT ANNEXED HERETO IS A TRUE COPY FROM THE RECORDS OF THE UNITED STATES PATENT AND TRADEMARK OFFICE OF THOSE PAPERS OF THE BELOW IDENTIFIED PATENT APPLICATION THAT MET THE REQUIREMENTS TO BE GRANTED A FILING DATE.

APPLICATION NUMBER: 60/559,259

FILING DATE: April 02, 2004

RELATED PCT APPLICATION NUMBER: PCT/US04/41282

Certified by

Under Secretary of Commerce for Intellectual Property and Director of the United States Patent and Trademark Office Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. PROVISIONAL APPLICATION FOR PATENT COVER SHEET

This is a request for filing a PROVISIONAL APPLICATION FOR PATENT under 37 CFR 1.53(c).

Express Mail Label No. EV 326917243 US

		INVENTOR	R(S)							
Given Name (first and m	iddle (if any])	Family Name or Surname	(City a	Residence (City and either State or Foreign Country)						
Steven		Tinge	Leban	Lebanon, Illinois						
Additional inventors are	being named on the	1	separately num	bered sheets	attached i	hereto				
	TIT	LE OF THE INVENTION	(500 characte	rs max)						
		d Bacterial Vectored Vac	cines against a	Anthrax and	Plague					
Direct all correspondence	e to: CORR	ESPONDENCE ADDRESS								
Customer Number	:	29425								
OR	<u> </u>									
Firm or Individual Name	Leon R. Yank	wich								
Address	Yankwich & Ass	ociates								
Address	201 Broadway									
City	Cambridge		State	MA	Zip	02139				
Country	United States of	America	Telephone	617-374-3700	Fax	617-374-0055				
	ENCLO	SED APPLICATION PAR	RTS (check al	that apply)						
Specification Numb	per of Pages 6			CD(s), Numbe	r					
Drawing(s) Number										
Application Date SI	heet. See 37 CFR 1.7	6		•						
		OR THIS PROVISIONAL APP	PLICATION FOR	PATENT						
Applicant claims s	mall entity status. See	37 CEP 1 27			EII IN	G FEE				
	•	/-h	ck no. 5104)			unt (\$)				
A check or money	order is enclosed to o	over the filing fees. (Cite	CK 110. 3 104)							
The Director is herby authorized to charge filing fees or credit any overpayment to Deposit Account Number: 50-0268										
Payment by credit card. Form PTO-2038 is attached.										
The invention was made United States Government	by an agency of the tent.	Inited States Government or	under a contrac	t with an agen	cy of the					
No.										
Yes, the name of the Department of De	ne U.S. Government a fense (JVAP), subcon	gency and the Government tract under DynPort Vaccine	contract number Co., LLC, no.DF	are: PSC-02-02257	,					
		(Page 1 of	1 21	oate April 2		<u> </u>				
Respectfully submitted,	DU	e 1 ' /								
SIGNATURE										
TYPED or PRINTED NAME Leon R. Vankwich (if appropriate) Docket Number: AVA-434.1 PRV										

TELEPHONE 617-374-3700 USE ONLY FOR FILING A PROVISIONAL APPLICATION FOR PATENT

This collection of information is required by 37 CFR 1.51. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 8 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Mail Stop Provisional Application, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

PROVISIONAL APPLICATION COVER SHEET Additional Page

PTO/SB/16 (08-03)

Approved for use through 07/31/2006. OMB 0651-0032

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

	•	Docket Number AVA-434.1 PRV					
	INVENTOR	R(S)/APPLICANT(S)					
Given Name (first and middle [if any])	Fam	ily`or Sumame	Residence (City and either State or Foreign Country)				
Sims	Kochi		Brookline, Massachusetts				
Kenneth	Roland		St. Louis, Missouri				
Donata	Sizemore		Brentwood, Missouri				
Hedy	Adari		Sudbury, Massachusetts				
Lawrence	Thomas		Worcester, Massachusetts				
Kevin P.	Killeen	•	Milton, Massachusetts				

[Page 2 of 2]

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Tinge, et.al.

Serial No.: (not yet assigned)

Filed: concurrently herewith

Entitled: LIVE, ATTENUATED BACTERIAL

VECTORED VACCINES AGAINST ANTHRAX

AND PLAGUE

Attorney Docket No.: AVA-434.1 PRV

Mail Stop Provisional

U.S. Patent and Trademark Office Commissioner For Patents P.O. Box 1450 Alexandria, VA 22313-1450

CERTIFICATE OF MAILING BY "EXPRESS MAIL"

The undersigned hereby certifies that the correspondence listed below is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" Service under 37 CFR 1.10, postage prepaid, in an envelope addressed to the Mail Stop Provisional, U.S. Patent and Trademark Office, Commissioner For Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on the date indicated below.

- 1. Provisional Application for Patent coversheet (PTO/SB/16) 2 page(s), in duplicate
- 2. Specification of 6 pages
- 3. Drawings (Informal) of 3 Sheets
- 4. Check No. <u>5104</u> in the amount of \$ 160.00 to cover provisional patent application filing fee.
- 5. Return Postal Card

Express Mailing Label No. = EV 326917243 US

Date of deposit: April 2, 2004

Nasim G. Memon

Art Unit:

Examiner:

1

Live, Attenuated Bacterial Vectored Vaccines against Anthrax and Plague

5 Inventors:

Steven Tinge, Sims Kochi, Ken Roland, Donata Sizemore, Hedy Adari, Lawrence Thomas, Kevin P. Killeen

10

15

20

Introduction

An outbreak in 1979 of human anthrax in the former Soviet city of Sverdlosk was shown to be the result of an accidental release of weaponized spores from a military production facility. The mailing of anthrax spores in the U.S. in 2001 further demonstrated that an aerosolized, biological weapon could be effectively deployed against a civilian population. Inhalation anthrax and pneumonic plague are caused by infections initiating on mucosal surfaces of the respiratory tract and are the deadly forms of their respective diseases. The high mortality rate in individuals that contract inhalational forms of infections like anthrax and plague, and the apparent ease with which these select agents may be weaponized ("Category A" biological weapons) have hastened renewed efforts to develop vaccines to protect against microbes adaptable as agents of biowarfare and terrorism.

25

30

The development of vaccines to protect against biological weapons has largely focused on parenteral administration that elicits the production of systemic (i.e., immunoglobulin G, or IgG) and not mucosal (secretory IgA) antibodies. Despite advances in understanding the mechanisms by which organisms such as *Bacillus anthracis* (anthrax) and *Yersinia pestis* (plague) cause disease, sustained efforts to develop new vaccines to protect against infection have been relatively modest. The only anthrax vaccine approved for use in the United States (Anthrax Vaccine Adsorbed [AVA]; BIOTHRAXTM), for example, requires six injections over

18 months with yearly boosters. Pre-clinical immunogenicity and efficacy studies evaluating BIOTHRAXTM suggested that the presence of IgG to the anthrax toxin protective antigen (PA) correlated with protection. Additional studies demonstrated that antibody capable of neutralizing PA activity *in vitro* was also a reliable surrogate marker for protection. The manufacture of a vaccine against plague was recently terminated following concerns over reactogenicity of the vaccine and its questionable efficacy against the pneumonic origin of the disease. Pre-clinical immunogenicity and efficacy studies evaluating candidate plague vaccines (based on *Y. pestis* F1 capsule, V antigen, or a F1-V fusion protein) demonstrated that serum IgG is a reliable correlate of protection against experimental plague challenge.

10

5

7

J

Summary of the Invention

The present invention relates to the development of orally administered anthrax and plague vaccine candidates utilizing attenuated *Vibrio cholerae* and *Salmonella spp.* vector technologies. The development of these vectors capitalizes on their established safety and immunogenicity profiles in humans as orally administered, live, attenuated vaccines against enteric infections such as cholera (CholeraGarde[®], *V. cholerae* Peru-15), typhoid fever (*S. typhi* Ty800), and non-typhoidal salmonellosis (*S. typhimurium* LH430). It is an object of the present invention to provide oral, preferably single-dose, vector vaccines that rapidly confer protective immunity against biological weapons agents and that are superior to injectable vaccines.

20

25

30

15

Several approaches have been pursued in an effort to optimize the presentation of anthrax and plague antigens to the immune system by recombinant Peru-15, Ty800, and LH430. These vectors have been engineered to express PA, F1, V, or a F1-V fusion (antigens previously shown to provide different levels of protection against infection) to various cellular locations, e.g., cytosol, surface, secreted. To provide stabilized, high-level antigen expression, we developed host-vector systems employing balanced-lethal plasmids: a vector bearing a lethal mutation is rescued by a multi-copy, bi-functional plasmid that complements the mutation and encodes the vaccine antigen. Use of this system in attenuated Salmonella and Vibrio precludes the need for antibiotic selection and has provided increased stability of the expression plasmid and the encoded heterologous antigen. The development of multiple, balanced-lethal, host strains also

provides the ability to evaluate recombinant antigen-expressing plasmids simultaneously in attenuated S. typhimurium and V. cholerae strains.

Bacterial-vectored anthrax vaccine candidates

We constructed a Δasd (aspartate semi-aldehyde dehydrogenase) mutant of S. typhimurium LH430 (M015) to secrete PA into the extracellular environment as a fusion to the N-terminus of E. coli hemolysin (HlyA_s). Strain M015 expressing the HlyA_s-PA₆₃ fusion from a bi-functional Asd⁺ plasmid (pMEG-1672) was genetically stable and secreted high levels of the fusion protein into the culture medium (Figure 1A). We also produced several $\Delta glnA$ (glutamine synthetase) vectors based on attenuated V. cholerae serotypes. One of these strains, Peru-15 $\Delta glnA$, bearing a bifunctional GlnA⁺ plasmid encoding an Hly-PA fusion (pMEG-1787) secreted Hly-PA₆₃ into the culture medium (Figure 1B).

Three- to four-week old, germ free, Swiss-Webster mice were orally immunized with Peru- $15\Delta glnA/pMEG-1787$ on days one, three, and eight. Fourteen days later (study day 22), animals were boosted with a subcutaneous injection of recombinant PA (2.5 μ g per dose) formulated with Alhydrogel. Serum samples recovered on day 28 revealed that five of 12 immunized mice developed anti-PA titers greater than those observed from mice receiving the vaccine control (no PA₆₃) followed by a rPA booster injection.

20

25

30

)

5

10

15

To enhance heterologous antigen expression, we vectored a codon-optimized PA gene into attenuated strains of *Vibrio* and *Salmonella*. The Western blot in Figure 2 shows a significant increase in PA expression by both vectors.

Bacterial-vectored plague vaccine candidates.

Twenty attenuated S. typhimurium and six attenuated V.cholerae vaccine vector strains were constructed to express either the F1 antigen, V antigen or F1-V fusion antigens derived from Y. pestis. In vitro studies identified an attenuated strain of S. typhimurium, M020, expressing a genetically stable fusion of the F1 and V antigens (F1-V) in the cytoplasm from an Asd balanced-lethal plasmid (Figure 3).

')

5

Two doses of M020 were administered to mice by oral feeding on day 0 and 14 and the immune response was measured two and four weeks following the second immunization. Reciprocal antibody titers specific to F1-V ranged from 800-12,800 and 600-19,200 at two and four weeks post-boost, respectively (**Table 1**). These results indicate that M020 expressed F1-V in vivo that elicited the production of high levels of F1-V specific antibody. The same experiment compared various balanced-lethal vector systems and their effect on the capacity of a S. typhimurium-based vaccine to elicit the production of antibodies to F1-V.

Table 1. Immunogenicity of Salmonella typhimurium M020 in BALB/c Mice

Mouse #	2wks post- boost Serum IgG Anti- F1	4wks post- boost Serum IgG Anti- F1	2wks post- boost Serum IgG Anti- V	4wks post- boost Serum IgG Anti- V	2wks post- boost Serum IgG Anti- F1-V	4wks post- boost Serum IgG Anti- F1-V	2wks post- boost Serum IgG LPS
21	100	150	400	300	800	800	0.049
22	100	150	400	600	1000	800	0353
23	200	9600	800	1600	3200	6400	0.405
24	<100	100	200	200	800	600	0.040
25	200	600	1600	4800	4800	4800	0,454
26	<100	100	2400	4800	12800	6400	1.219
27	300*	800	600	400	3200	800	0340
28	100	4800	4800	12800	12800	19200	0.688
29	200	800	400	400	1200	1200	0.492
30	100	150	200	400	800	800	1:055
GMT	137	476	685	1008	2341	2017	AVG= 0.510

^{*}Reciprocal endpoint dilution

A comparison of the M020 balanced-lethal system (Asd⁺) to systems we had developed in *S. typhimurium* based on GlnA⁺ and PurB⁺ revealed that the former induced higher serum antibody responses to F1-V than the latter two (**Table 2**).

Table 2. Immunogenicity of S. typhimurium Vector Vaccines Expressing Plague F1-V Antigen (GMT of Reciprocal Titers)

inoculum (1 x 10° cfu/mouse)	Host deletion	2 wks post- boost Serum IgG Anti- Fi	4 wks post- boost Semm IgG Ami- F1	6 wks post- boost Scrum (gG Anti- F1	9 who post- boost Serum IgG Anti- F1	2 wks post- boost Serum IgG Anti- V	4 wks post- boost Serum IgG Arzi- V	6 wks post- boost Serum IgG Anti- V	9 wks post- boost Serum IgG Anti- V	2 wks post- boost Serum IgG Anti- F1-V	4 wks post- boost Serum IgG Anti- F1-V	6 whs post- boost Serum IgG Anti- PI-V	9 wks post- boost Serum IgG Anti- F1-V
Salmonella typhimurium	purB/	100	149	149	123	217	226	141	141	363	386	246	264
Salmonella typhimurium	gtrA	104	214	141	152	256	393	115	115	650	627	230	264
Salmonella typhimurium (M020)	asd	137	476	132	132	685	1008	123	162	2341	2017	230	303

10

The possibility of inducing an enhanced immune response was evaluated by varying the time between primary and booster immunizations and employing other *Salmonella* vaccine constructs that expressed only F1 or V antigen. Several of these optimized dosing regimens elicited enhanced anti-F1 and anti-V immune responses. cGMP Reseach-, Master- and Working-Seed Banks of plague vaccine candidate M020 were produced.

The severity of disease and infrequent occurrence of pneumonic plague in the U.S. renders plague vaccine challenge and efficacy studies untenable in humans. To address this issue, the FDA recently modified the Code of Federal Regulations (CFR) to include the "Animal Rule" (21 CFR 601.90-95), which enables the licensure of counter-bioterrorism vaccines, like those against plague, following appropriate safety and immunogenicity studies in humans and efficacy studies in two animal species. Accordingly, steps are being taken to explore the clinical pathway of M020 in humans and efficacy pathway in animals.

15

10

7

J

5

Abstract of the Disclosure

5

10

Novel vectors for immunizing against Y. pestis and B. anthracis antigens are disclosed which are useful as vaccines against plague and anthrax. Strains of Vibrio cholerae, Salmonella typhi, and Salmonella typhimurium having attenuating mutations are disclosed for use as vectors of plague and anthrax antigens, e.g., Y. pestis F1 and V antigens, F1-V fusion protein, and B. anthracis Protective Antigen. A S. typhimurium mutant strain, designated M020, showing expression of high levels of F1-V in vivo and eliciting high titre anti-F1-V IgG responses is particularly disclosed. Such vectors provide candidates for oral vaccines against airborne plague and anthrax pathogens.




Figure 1. Western Blot Analysis of the Expression of HlyAs-PA₆₃ by Attenuated S. REST AVAILABLE COPY typhimurium (A) and V. cholerae (B)





Figure 2. Whole Cell Expression of PelB::PA Optimized from pBR Based Gln+ Vector in S. typhimurium LH430 and V. cholerae Peru-15 Derivatives

BEST AVAILABLE COPY



High Molecular Weight Marker

Sample

Figure 3. Western Blot Analysis of F1-V Expression by Attenuated S. typhimurium Asd⁺, Gln⁺, and Pur+Balanced-lethal Vectors.

BEST AVAILABLE COPY

Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/US04/041282

International filing date:

09 December 2004 (09.12.2004)

Document type:

Certified copy of priority document

Document details:

Country/Office: US

Number:

60/559,259

Filing date:

02 April 2004 (02.04.2004)

Date of receipt at the International Bureau: 09 February 2005 (09.02.2005)

Remark: Priority document submitted or transmitted to the International Bureau in

compliance with Rule 17.1(a) or (b)

